



Balanced Port Thermostatic Expansion Valve Selection Chart for L.R.C. Coil Company

Selections are based on 105°F condensing temperatures, 100°F liquid entering the valve, and the various suction temperatures shown for each evaporator. The pressure drops across the refrigerant distributors used on each evaporator were also taken into account. Where an externally equalized expansion valve is specified, that particular evaporator used a refrigerant distributor and the net ΔP across the distributor assumed was 25 psi for R-134a and 35 psi for R-22, R-404A and 507. If conditions differ from above, valve selections should be made from Sporlan Bulletins 10-9, 10-10 and 20-10.

NOTE: In some cases the standard valve will not mate to the coil inlet and will have to be adapted accordingly.

POWER COOL UNIT COOLERS 4 FPI LOW TEMPERATURE								
10°F SUCTION / 10°F TEMPERATURE DIFFERENCE								
COIL MODEL		COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT				
				134a	22	404A	507	
PC(H,E) 14-140	5/8		15732	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C	
PC(H,E) 14-168			18905	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-A-C	
PC(H,E) 14-194			21799	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C	
PC(H,E) 14-215	7/8		24207	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C	
PC(H,E) 14-237			26647	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C	
PC(H,E) 24-285			32118	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-B-C	
PC(H,E) 24-339	1-1/8		38139	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-B-C	
PC(H,E) 24-395			44416	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBFPE-C-C	
PC(H,E) 24-440			49464	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBFPE-C-C	
PC(H,E) 24-479	1-3/8		53926	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPE-6-C	
PC(H,E) 34-516			58061	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPE-6-C	
PC(H,E) 34-593			66665	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPE-6-C	
PC(H,E) 34-660	1-5/8		74230	EBSJE-7-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSPE-6-C	
PC(H,E) 34-718		1-3/8		80789	EBSJE-7-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSPE-6-C
PC(H,E) 44-793				89240	EBSJE-7-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSPE-6-C
PC(H,E) 44-882	1-5/8			99209	EBSJE-7-C	EBSVE-8-C	OSE-9-C	EBSPE-7-1/2-C
PC(H,E) 44-979			110181	OJE-9-C	EBSVE-11-C	OSE-9-C	EBSPE-7-1/2-C	
-10°F SUCTION / 10°F TEMPERATURE DIFFERENCE								
PC(H,E) 14-140	5/8		14567	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z	
PC(H,E) 14-168			17504	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z	
PC(H,E) 14-194			20184	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z	
PC(H,E) 14-215	7/8		22414	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 14-237			24673	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 24-285			29739	EBFJE-C-ZPM	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 24-339	1-1/8		35314	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-395			41126	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-440			45800	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-479	1-3/8		49931	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 34-516			53760	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 34-593			61727	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-660	1-5/8		68731	OJE-9-Z	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-718		1-3/8		74804	OJE-9-Z	EBSVE-8-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 44-793				82629	OJE-9-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 44-882	1-5/8			91860	OJE-9-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 44-979			102020	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z	
-20°F SUCTION / 10°F TEMPERATURE DIFFERENCE								
PC(H,E) 14-140	5/8		13984	EBFJE-B-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z	
PC(H,E) 14-168			16804	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z	
PC(H,E) 14-194			19377	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 14-215	7/8		21517	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 14-237			23686	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 24-285			28549	EBFJE-C-ZPM	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 24-339	1-1/8		33901	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-395			39481	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-440			43968	EBSJE-7-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-479	1-3/8		47934	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-516			51610	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-593			59258	OJE-9-Z	EBSVE-8-Z	OSE-9-Z	OPE-9-Z	
PC(H,E) 34-660	1-5/8		65982	OJE-9-Z	EBSVE-11-Z	OSE-9-Z	OPE-9-Z	
PC(H,E) 34-718		1-3/8		71812	OJE-9-Z	EBSVE-11-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 44-793				79324	OJE-9-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 44-882	1-5/8			88186	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 44-979			97939	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z	
-30°F SUCTION / 10°F TEMPERATURE DIFFERENCE								
PC(H,E) 14-140	5/8		12382	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z	
PC(H,E) 14-168			14879	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z	
PC(H,E) 14-194			17157	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 14-215	7/8		19052	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 14-237			20972	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 24-285			25278	N/A	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z	
PC(H,E) 24-339	1-1/8		30017	N/A	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-395			34957	N/A	EBFVE-C-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-440			38930	N/A	EBSVE-8-Z	EBSSSE-6-Z	EBSPE-6-Z	
PC(H,E) 24-479	1-3/8		42442	N/A	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-516			45696	N/A	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-593			52468	N/A	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSPE-7-1/2-Z	
PC(H,E) 34-660	1-5/8		58422	N/A	EBSVE-11-Z	OSE-9-Z	OPE-9-Z	
PC(H,E) 34-718		1-3/8		63584	N/A	EBSVE-11-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 44-793				70235	N/A	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 44-882	1-5/8			78081	N/A	EBSVE-15-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 44-979			86717	N/A	OVE-15-Z	OSE-12-Z	OPE-12-Z	

POWER COOL UNIT COOLERS 6 FPI LOW TEMPERATURE						
10°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
PC(H,E) 16-089	5/8	8884	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
PC(H,E) 16-126		14217	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
PC(H,E) 16-161		18108	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(H,E) 16-194	7/8	21854	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(H,E) 16-221		24893	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(H,E) 16-245		27550	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(H,E) 16-265	1-1/8	29834	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(H,E) 26-326		36705	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(H,E) 26-392		44108	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(H,E) 26-448	1-3/8	50453	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(H,E) 26-499		56088	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(H,E) 26-540		60771	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(H,E) 36-590	1-5/8	66396	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(H,E) 36-680		76490	EBSJE-7-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(H,E) 36-752		84623	EBSJE-7-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(H,E) 36-815	1-3/8	91683	EBSJE-7-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(H,E) 46-900		101283	OJE-9-C	EBSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(H,E) 46-992	1-5/8	111643	OJE-9-C	EBSVE-11-C	OSE-9-C	OPE-9-C
PC(H,E) 46-1071		120494	OJE-9-C	EBSVE-11-C	OSE-9-C	OPE-9-C
-10°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
PC(H,E) 16-089	5/8	8884	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
PC(H,E) 16-126		13164	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
PC(H,E) 16-161		16767	EBFJE-B-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
PC(H,E) 16-194	7/8	20235	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
PC(H,E) 16-221		23049	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-245		25509	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-265	1-1/8	27624	EBFJE-C-ZPM	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 26-326		33986	EBFJE-C-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-392		40841	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-448	1-3/8	46716	EBSJE-7-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-499		51933	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-540		56270	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 36-590	1-5/8	61478	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 36-680		70824	OJE-9-Z	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 36-752		78354	OJE-9-Z	EBSVE-11-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 36-815	1-3/8	84892	OJE-9-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-900		93780	OJE-9-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-992	1-5/8	103373	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-1071		111569	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z
-20°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
PC(H,E) 16-089	5/8	8884	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
PC(H,E) 16-126		12637	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
PC(H,E) 16-161		16096	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
PC(H,E) 16-194	7/8	19426	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-221		22127	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-245		24489	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-265	1-1/8	26519	EBFJE-C-ZPM	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 26-326		32627	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-392		39207	EBSJE-5-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-448	1-3/8	44847	EBSJE-7-ZPM	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-499		49856	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 26-540		54019	EBSJE-7-ZPM	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 36-590	1-5/8	59019	OJE-9-Z	EBSVE-8-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 36-680		67991	OJE-9-Z	EBSVE-11-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 36-752		75220	OJE-9-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 36-815	1-3/8	81496	OJE-12-Z	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-900		90029	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-992	1-5/8	99238	OJE-12-Z	OVE-15-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-1071		107106	OJE-12-Z	OVE-20-Z	OSE-12-Z	OPE-12-Z
-30°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
PC(H,E) 16-089	5/8	8884	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
PC(H,E) 16-126		11189	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
PC(H,E) 16-161		14252	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
PC(H,E) 16-194	7/8	17200	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-221		19592	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-245		21683	N/A	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 16-265	1-1/8	23480	N/A	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z
PC(H,E) 26-326		28888	N/A	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-392		34715	N/A	EBFVE-C-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-448	1-3/8	39708	N/A	EBSVE-8-Z	EBSSSE-6-Z	EBSSPE-6-Z
PC(H,E) 26-499		44143	N/A	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 26-540		47829	N/A	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 36-590	1-5/8	52256	N/A	EBSVE-8-Z	EBSSSE-7-1/2-Z	EBSSPE-7-1/2-Z
PC(H,E) 36-680		60200	N/A	EBSVE-11-Z	OSE-9-Z	OPE-9-Z
PC(H,E) 36-752		66601	N/A	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 36-815	1-3/8	72158	N/A	EBSVE-11-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-900		79713	N/A	OVE-15-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-992	1-5/8	87867	N/A	OVE-20-Z	OSE-12-Z	OPE-12-Z
PC(H,E) 46-1071		94833	N/A	OVE-20-Z	OSE-12-Z	OPE-12-Z

POWER COOL UNIT COOLERS 4 FPI MEDIUM TEMPERATURE						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
PC(A) 14-129	5/8	12937	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
PC(A) 14-163		16300	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 14-192		19185	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 14-219		21944	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 14-247		24672	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 14-266		26639	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 24-332		33174	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 24-397		39716	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
PC(A) 24-452		45210	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 24-507		50709	EBSSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 24-542		54244	EBSSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 34-604		60403	EBSSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 34-685		7/8	68487	EBSSJE-5-C	EBSSVE-8-C	EBSSSE-6-C
PC(A) 34-756	75499		EBSSJE-5-C	EBSSVE-8-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 34-817	81692		EBSSJE-7-C	EBSSVE-8-C	EBSSSE-6-C	EBSSPE-7-1/2-C
PC(A) 44-928	92792		EBSSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(A) 44-1005	1-1/8	100541	EBSSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(A) 44-1102		110231	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
25°F SUCTION / 15°F TEMPERATURE DIFFERENCE						
PC(A) 14-129	5/8	19406	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 14-163		24450	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 14-192		28778	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 14-219		32916	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 14-247		37008	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 14-266		39959	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
PC(A) 24-332		49761	EBSSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 24-397		59574	EBSSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 24-452		67815	EBSSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 24-507		76064	EBSSJE-5-C	EBSSVE-8-C	EBSSSE-6-C	EBSSPE-6-C
PC(A) 24-542		81366	EBSSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(A) 34-604		90605	EBSSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSSPE-7-1/2-C
PC(A) 34-685		7/8	102731	EBSSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C
PC(A) 34-756	113249		OJE-9-C	EBSSVE-8-C	OSE-9-C	OPE-9-C
PC(A) 34-817	122538		OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 44-928	139188		OJE-9-C	EBSSVE-11-C	OSE-12-C	OPE-12-C
PC(A) 44-1005	1-1/8	150812	OJE-12-C	OVE-15-C	OSE-12-C	OPE-12-C
PC(A) 44-1102		165347	OJE-12-C	OVE-15-C	OSE-12-C	OPE-12-C

POWER COOL UNIT COOLERS 6 FPI MEDIUM TEMPERATURE						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
PC(A) 16-107	1/2	10731	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
PC(A) 16-153	5/8	15348	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
PC(A) 16-191		19087	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 16-225		22486	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 16-257		25735	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 16-282		28185	EBFJE-C-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 16-302		30237	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 26-390		38982	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 26-471		47124	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-540		54021	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-578		57843	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-622	7/8	62192	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 36-694	5/8	69375	EBSJE-5-C	EBSSVE-8-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 36-800	7/8	80029	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 36-891		89123	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 36-950		95042	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 46-1057	1-1/8	105724	OJE-9-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 46-1166		116626	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 46-1254		125384	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
25°F SUCTION / 15°F TEMPERATURE DIFFERENCE						
PC(A) 16-107	1/2	16097	EBFJE-A-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 16-153	5/8	23022	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 16-191		28631	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 16-225		33729	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 16-257		38603	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 16-282		42278	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
PC(A) 16-302		45356	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-390		58473	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-471		70686	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-540		81032	EBSJE-7-C	EBSSVE-8-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 26-578		86765	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 26-622	7/8	93288	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 36-694	5/8	104063	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 36-800	7/8	120044	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 36-891		133685	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 36-950		142563	OJE-9-C	EBSSVE-11-C	OSE-12-C	OPE-12-C
PC(A) 46-1057	1-1/8	158586	OJE-12-C	OVE-15-C	OSE-12-C	OPE-12-C
PC(A) 46-1166		174939	OJE-12-C	OVE-15-C	OSE-12-C	OPE-12-C
PC(A) 46-1254		188076	OJE-12-C	OVE-15-C	OSE-21-C	OPE-21-C
POWER COOL UNIT COOLERS 8 FPI MEDIUM TEMPERATURE						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
PC(A) 18-172	5/8	17179	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 18-214		21433	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 18-258		25785	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
PC(A) 18-278		27816	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 18-301		30126	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 18-323		32340	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 28-367		36668	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 28-443		44308	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 28-537		53677	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-570		57004	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-618	7/8	61811	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-669		66881	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 38-780		77958	EBSJE-5-C	EBSSVE-8-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 38-892		89189	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 38-974		97414	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 38-1023	1-1/8	102323	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 48-1109		110853	OJE-9-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 48-1150		115026	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 48-1251		125146	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 48-1353		135306	OJE-9-C	OVE-15-C	OSE-12-C	OPE-12-C
25°F SUCTION / 15°F TEMPERATURE DIFFERENCE						
PC(A) 18-172	5/8	25769	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
PC(A) 18-214		32150	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 18-258		38678	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 18-278		41724	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 18-301		45189	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
PC(A) 18-323		48510	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
PC(A) 28-367		55002	EBFJE-C-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-443		66462	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-537		80516	EBSJE-5-C	EBFVE-C-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-570		85506	EBSJE-7-C	EBSSVE-8-C	EBSSSE-6-C	EBSPPE-6-C
PC(A) 28-618	7/8	92717	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 28-669		100322	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 38-780		116937	EBSJE-7-C	EBSSVE-8-C	EBSSSE-7-1/2-C	EBSPPE-7-1/2-C
PC(A) 38-892		133784	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 38-974		146121	OJE-9-C	EBSSVE-11-C	OSE-9-C	OPE-9-C
PC(A) 38-1023	1-1/8	153485	OJE-9-C	EBSSVE-11-C	OSE-12-C	OPE-12-C
PC(A) 48-1109		166280	OJE-12-C	OVE-15-C	OSE-12-C	OPE-12-C
PC(A) 48-1150		172539	OJE-12-C	OVE-15-C	OSE-12-C	OPE-12-C
PC(A) 48-1251		187719	OJE-12-C	OVE-15-C	OSE-21-C	OPE-21-C
PC(A) 48-1353		202959	OJE-16-C	OVE-20-C	OSE-21-C	OPE-21-C

SLIM LINE UNIT COOLERS 4 FPI LOW TEMPERATURE						
10°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
SL(E,H) 14-37	1/2	4375	EBFJE-AA-C	EBFVE-AAA-C	EBFSE-AA-C	EBFPE-AA-C
SL(E,H) 24-59		6920	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(E,H) 24-75		8759	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 34-89		10457	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 34-111		13062	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 44-118		13869	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 44-147		17236	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(E,H) 54-187		21863	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(E,H) 64-223		26156	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
-10°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
SL(E,H) 14-37	1/2	3889	EBFJE-AA-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 24-59		6151	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 24-75		7786	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 34-89		9295	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 34-111		11611	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 44-118		12328	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 44-147		15321	EBFJE-B-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 54-187		19434	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 64-223		23250	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
-20°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
SL(E,H) 14-37	1/2	3733	EBFJE-AA-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 24-59		5905	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 24-75		7475	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 34-89		8923	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 34-111		11147	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 44-118		11835	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 44-147		14708	EBFJE-B-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 54-187		18657	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 64-223		22320	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
-30°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
SL(E,H) 14-37	1/2	3305	N/A	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 24-59		5228	N/A	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 24-75		6618	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 34-89		7901	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 34-111		9870	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 44-118		10479	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 44-147		13023	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 54-187		16519	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 64-223		19763	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z

SLIM LINE UNIT COOLERS 6 FPI LOW TEMPERATURE						
10°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
SL(E,H) 16-35	1/2	4141	EBFJE-AA-C	EBFVE-AAA-C	EBFSE-AA-C	EBFPE-AA-C
SL(E,H) 16-44		5115	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(E,H) 26-51		6008	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(E,H) 26-70		8174	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 26-87		10245	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 36-130		14063	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(E,H) 46-140		16392	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(E,H) 46-176		20588	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(E,H) 56-218		25560	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(E,H) 66-261		30549	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
-10°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
SL(E,H) 16-35	1/2	3681	EBFJE-AA-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 16-44		4547	EBFJE-AA-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 26-51		5340	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 26-70		7266	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 26-87		9107	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 36-130		13553	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 46-140		14571	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 46-176		18300	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 56-218		22720	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
SL(E,H) 66-261		27155	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
-20°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
SL(E,H) 16-35	1/2	3534	EBFJE-AA-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 16-44		4365	EBFJE-AA-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 26-51		5126	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 26-70		6975	EBFJE-A-ZPM	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 26-87		8743	EBFJE-A-ZPM	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 36-130		13011	EBFJE-B-ZPM	EBFVE-A-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 46-140		13988	EBFJE-B-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 46-176		17568	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 56-218		21811	EBFJE-C-ZPM	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
SL(E,H) 66-261		26069	EBFJE-C-ZPM	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z
-30°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
SL(E,H) 16-35	1/2	3129	N/A	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 16-44		3865	N/A	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 26-51		4539	N/A	EBFVE-AA-Z	EBFSE-AA-Z	EBFPE-AA-Z
SL(E,H) 26-70		6176	N/A	EBFVE-AA-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 26-87		7741	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 36-130		11520	N/A	EBFVE-A-Z	EBFSE-A-Z	EBFPE-A-Z
SL(E,H) 46-140		12385	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 46-176		15555	N/A	EBFVE-B-Z	EBFSE-B-Z	EBFPE-B-Z
SL(E,H) 56-218		19312	N/A	EBFVE-B-Z	EBFSE-C-Z	EBFPE-C-Z
SL(E,H) 66-261		23082	N/A	EBFVE-C-Z	EBFSE-C-Z	EBFPE-C-Z

SLIM LINE UNIT COOLERS 4 FPI MEDIUM TEMPERATURE							
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE							
COIL MODEL		COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
				134a	22	404A	507
SL(A,E,H)	14-42	1/2	4220	EBFJE-AA-C	EBFVE-AAA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H)	24-68		6791	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H)	24-84		8450	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	34-102		10151	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	34-126		12589	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	44-134		13449	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	44-169		16910	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H)	54-211		21086	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H)	64-252		25212	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
25°F SUCTION / 15°F TEMPERATURE DIFFERENCE							
SL(A,E,H)	14-42	1/2	6330	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H)	24-68		10186.5	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	24-84		12675	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	34-102		15226.5	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H)	34-126		18883.5	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H)	44-134		20173.5	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H)	44-169		25365	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H)	54-211		31629	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H)	64-252		37818	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C

SLIM LINE UNIT COOLERS 6 FPI MEDIUM TEMPERATURE						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
SL(A,E,H) 16-41	1/2	4061	EBFJE-AA-C	EBFVE-AAA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 16-50		4974	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 26-60		6048	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 26-77		7680	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 26-81		8102	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 26-99		9904	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 36-149		14897	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 46-162		16212	EBFJE-A-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 46-197		19650	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 56-247	1/2	24701	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 66-298		29801	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H) 16-41		6092	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 16-50		7461	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 26-60		9072	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 26-77		11520	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 26-81		12153	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 26-99		14856	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 36-149		22346	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 46-162	1/2	24318	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 46-197		29475	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H) 56-247		37052	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H) 66-298		44702	EBFJE-C-C	EBFVE-C-C	EBFSE-6-C	EBFPE-6-C

SLIM LINE UNIT COOLERS 8 FPI MEDIUM TEMPERATURE						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
SL(A,E,H) 18-45	1/2	4489	EBFJE-AA-C	EBFVE-AAA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 18-54		5407	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 28-90		8987	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 28-108		10833	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 38-136		13406	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 38-163		16300	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 48-180		17983	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 48-217		21684	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 58-270		27008	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 68-322	1/2	32244	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H) 18-45		6734	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
SL(A,E,H) 18-54		8111	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 28-90		13481	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
SL(A,E,H) 28-108		16250	EBFJE-A-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 38-136		20109	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 38-163		24450	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 48-180		26975	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
SL(A,E,H) 48-217		32526	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H) 58-270	1/2	40512	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
SL(A,E,H) 68-322		48366	EBFJE-C-C	EBFVE-C-C	EBFSE-6-C	EBFPE-6-C

DOUBLE END UNIT COOLERS						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
D 207	3/8	2070	EBFJ-AAA-C	EBFV-AAA-C	EBFS-AAA-C	EBFP-AAA-C
D 275		2750	EBFJ-AAA-C	EBFV-AAA-C	EBFS-AAA-C	EBFP-AAA-C
D 345		3450	EBFJ-AAA-C	EBFV-AAA-C	EBFS-AAA-C	EBFP-AAA-C
D 432	1/2	4320	EBFJ-AA-C	EBFV-AAA-C	EBFS-AA-C	EBFP-AA-C
D 541		5410	EBFJ-AA-C	EBFV-AA-C	EBFS-AA-C	EBFPE-AA-C
D 650		6500	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
D 752		7520	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
D 937		9370	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
D 1125		11250	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
D 1313	5/8	13130	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
D 1650		16500	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
D 1927		19270	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
D 2290		22900	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
D 2751		27510	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
D 3213		32130	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
25°F SUCTION / 15°F TEMPERATURE DIFFERENCE						
D 207	3/8	3105	EBFJ-AAA-C	EBFV-AAA-C	EBFS-AAA-C	EBFP-AAA-C
D 275		4125	EBFJ-AA-C	EBFV-AAA-C	EBFS-AA-C	EBFP-AA-C
D 345		5175	EBFJ-AA-C	EBFV-AA-C	EBFS-AA-C	EBFP-AA-C
D 432	1/2	6480	EBFJ-AA-C	EBFV-AA-C	EBFS-AA-C	EBFP-AA-C
D 541		8115	EBFJ-A-C	EBFV-AA-C	EBFS-A-C	EBFP-A-C
D 650		9750	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
D 752		11280	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
D 937		14055	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
D 1125		16875	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
D 1313	5/8	19695	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
D 1650		24750	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
D 1927		28905	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
D 2290		34350	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
D 2751		41265	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
D 3213		48195	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C

QUIET AIR UNIT COOLERS						
25°F SUCTION / 10°F TEMPERATURE DIFFERENCE						
COIL MODEL	COIL INLET CONNECTIONS Inches	CAPACITY BTU/HR	REFRIGERANT			
			134a	22	404A	507
Q 16-500	1/2	5020	EBFJ-AA-C	EBFV-AAA-C	EBFS-AA-C	EBFP-AA-C
Q 16-750		7510	EBFJ-AA-C	EBFV-AA-C	EBFS-AA-C	EBFP-AA-C
Q 16-1000		10500	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
Q 16-1350		13500	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C
Q 16-1640		16400	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
Q 16-2000		20000	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
Q 26-2600		26000	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
25°F SUCTION / 15°F TEMPERATURE DIFFERENCE						
Q 16-500	1/2	7530	EBFJ-AA-C	EBFV-AA-C	EBFS-AA-C	EBFP-AA-C
Q 16-750		11265	EBFJ-A-C	EBFV-AA-C	EBFS-A-C	EBFP-A-C
Q 16-1000		15750	EBFJE-A-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
Q 16-1350		20250	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
Q 16-1640		24600	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
Q 16-2000		30000	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
Q 26-2600		39000	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
25°F SUCTION / 20°F TEMPERATURE DIFFERENCE						
Q 16-500	1/2	10040	EBFJ-A-C	EBFV-AA-C	EBFS-A-C	EBFP-A-C
Q 16-750		15020	EBFJ-A-C	EBFV-A-C	EBFS-A-C	EBFP-A-C
Q 16-1000		21000	EBFJE-B-C	EBFVE-A-C	EBFSE-B-C	EBFPE-B-C
Q 16-1350		27000	EBFJE-B-C	EBFVE-B-C	EBFSE-B-C	EBFPE-B-C
Q 16-1640		32800	EBFJE-C-C	EBFVE-B-C	EBFSE-C-C	EBFPE-C-C
Q 16-2000		40000	EBFJE-C-C	EBFVE-C-C	EBFSE-C-C	EBFPE-C-C
Q 26-2600		52000	EBSJE-5-C	EBFVE-C-C	EBSSE-6-C	EBSPE-6-C
25°F SUCTION / 5°F TEMPERATURE DIFFERENCE						
Q 16-500	1/2	2510	EBFJ-AAA-C	EBFV-AAA-C	EBFS-AAA-C	EBFP-AAA-C
Q 16-750		3755	EBFJ-AAA-C	EBFV-AAA-C	EBFS-AAA-C	EBFP-AAA-C
Q 16-1000		5250	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
Q 16-1350		6750	EBFJE-AA-C	EBFVE-AA-C	EBFSE-AA-C	EBFPE-AA-C
Q 16-1640		8200	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
Q 16-2000		10000	EBFJE-A-C	EBFVE-AA-C	EBFSE-A-C	EBFPE-A-C
Q 26-2600		13000	EBFJE-A-C	EBFVE-A-C	EBFSE-A-C	EBFPE-A-C